



# **OUTDOOR PUMP HOSE REPLACEMENT INSTALLATION INSTRUCTIONS**

**Customer Service**  
**800.783.7257**  
[sarisinfrastructure.com](http://sarisinfrastructure.com)

**Tell Us What You Think**



**[sarisinrastructure.com/feedback](https://sarisinrastructure.com/feedback)**

**Register your product for updates**  
**[sarisinrastructure.com/registration](https://sarisinrastructure.com/registration)**



## Tools Required

- PTFE Tape (1/4 to 1/2 inch wide)
- 9/16" open end wrench
- 5mm Hex key (for pumps equipped with a hose clip)

## Air Hose Installation Instructions (High Security Outdoor Pump with Gauge)


- 1 If a hose clip is installed, remove the hose clip with 5mm Hex key.



- 2 Remove old hose using 9/16" wrench.



- 3** Wrap threads of new hose with PTFE tape. Wrap all threads, 2 to 3 full turns.





- 4** Install new hose into pump. Since threads are tapered pipe fittings, you can thread in by hand until hand-tight. Using 9/16" wrench, tighten an additional 2 to 3 full turns. If equipped, reinstall hose clip.



**WARNING:** Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment or inappropriate placement, improper use, inadequate maintenance, or neglect of this product. Placement of this product is beyond control of the manufacturer. It is the end users reasonability to place this product so as to avoid potential pedestrian or playground accidents.

**WARRANTY:** We warrant this product to the first consumer to be free from defect in material and workmanship for a period of one year from date of purchase. Please retain your sales slip for your records. Any product or part thereof found to be defective within that period will be replaced without charge provided that: (1) the product was not misused; (2) no alterations or modifications were made; (3) its failure resulted from a defect in material or workmanship and not from normal wear expected in the use of the product; (4) the product or part is delivered, freight prepaid, to Saris Products.

Manufacturer's only obligation shall be to replace such products or parts proved to be defective.